



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 09/993,012 | 11/14/2001 | Kun-Chou Chen | A34800 | 6462 |
| 23373 | 7590 | 04/22/2005 | EXAMINER | |
| SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037 | | | WORKU, NEGUSSIE | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 2626 | |

DATE MAILED: 04/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/993,012

Applicant(s)

CHEN ET AL.

Examiner

Negussie Worku

Art Unit

2626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 November 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-15, are rejected under 35 U.S.C. 102(e) as being anticipated by Yamamoto et al. (USP 6373599).

With respect to claim 1, Yamamoto teaches or discloses an image capture device, (scanner block 7 of fig 2) comprising an image sensor, (scanner head (CCD) sensor of fig 3) for capturing an image of an object (manuscript 45 of fig 2) and generating an image signal, see (col.8, lines 15-20), cone holding said image sensor, (image sensor 15 of fig 5 is fixed in the scanner block 7 of fig 5), a support arm (support arm 4 of fig 3) connected to said cone, (arm 4 of fig 3, connected to (a cone shape) scanner block 7 as shown on fig 3) a signal transmission component coupled to said image sensor for transmitting said image signal, (image sensor 15 of fig 1, connected to various wires (a signal transmission component), see col.10, line 33), and a base (a

Art Unit: 2626

manuscript table (base) 2 of fig 3), connected to said support arm (support arm 4 of fig 3) for carrying said image capture device, (image capture 5 of fig 3) characterized in that an indicator means, (lens 14 of fig 1) mounted on said cone, (scanner block 7 as shown on fig 3), for effectively demarcating an image capture area of said image capture device (image sensor 5, Lens 14 and light emitting source are fixed in the scanner block 7, can inherently indicate or determine the image scanning area 3, as shown in fig 3, see col.6, lines 5-10).

With respect to claim 2, Yamamoto et al. discloses the device (as shown in fig 1-5) wherein said image sensor (image sensor 5 of fig 3) further comprises a charge-coupled device (CCD), see (col.6, lines 1-4).

With respect to claim 3, Yamamoto et al. discloses the device (as shown in fig 1-5) wherein said image sensor (image sensor 5 of fig 3) further comprises, comprises a complementary metal-oxide semiconductor (CMOS), see (col.6, lines 1-4, CCD or the like 9 can be CMOS) which are arranged in one-dimensional structure in the main scan direction).

With respect to claim 4, Yamamoto et al. discloses the device (as shown in fig 1-5) wherein said indicator means (light emitted from light source 8 of fig 3) further comprises at least one lamp (image scanner 7 of fig 3, inherently provide at least one

image source) assembled within a rim of said cone (scanner block 7 of fig 3) for emitting light to demarcate the image capture area (3 of fig 3, defines the image capture area).

With respect to claim 5, Yamamoto et al. discloses the device (as shown in fig 1-5), wherein said lamp is a laser illuminator (reflected light of laser beam emitted from laser source, see col.11, lines 19-20).

With respect to claim 6, Yamamoto et al. discloses the device (as shown in fig 1-5), wherein said at least one lamp (reflected light of laser beam emitted from laser source, see col.11, lines 19-20) further comprises four lamps assembled along a circumference of the rim of said cone (scanner block 7 of fig 3) for demarcating four corners of the image capture area (image scan area 3 of fig 3, demarcated by light emitted from light source, as focused by lens 14 of 5).

With respect to claim 7, Yamamoto et al. discloses the device (as shown in fig 1), wherein said support arm (4 of fig 3) further comprises a robot arm for flexibly adjusting the image capture area (the height of support arm 4 of fig 3 can lowered or moved up, in order to adjust the image capture area).

With respect to claim 8, Yamamoto et al. discloses the device (as shown in fig 1), wherein said support arm (support arm 4 of fig 3) further comprises a plastic surface for

flexibly adjusting the image capture area (support arm 4, can be inheritably made of plastic material).

With respect to claim 9, Yamamoto et al. discloses an image capture device (as shown in fig 1-6) the device comprising an image sensor (image sensor 15 of fig 5) for capturing an image of an object (object or document 45 of fig 3) and generating image signal, a cone holding said image sensor, (image scanner block 7 of fig 3, holds image sensor 15 as shown in fig 3) a support arm (arm 4 of fig 3) connected to said cone, (scanner block 7 of fig 3) a signal transmission component coupled to said image sensor (image sensor 5 of fig 3 or 15 of fig 5) for transmitting said image signal and a base (44 of fig 3) connected to said support arm (4 of fig 3) for carrying said image capture device, (scanner head 5 of fig 3) characterized in that at least one lamp, (reflected light of laser beam emitted from laser source, see col.11, lines 19-20), assembled in a rim of said cone (scanner block 7 of fig 3) for emitting light to demarcate an image capture area (capture area 3 of fig 3) of said image capture device (image scan area 3 of fig 3, demarcated by light emitted from light source, as focused by lens 14 of 5).

With respect to claim 10, Yamamoto et al. discloses the device (as shown in fig 1-5) wherein said image sensor (image sensor 5 of fig 3) further comprises a charge-coupled device (CCD), see (col.6, lines 1-4).

With respect to claim 11, Yamamoto et al. discloses the device (as shown in fig 1-5) wherein said image sensor (image sensor 5 of fig 3) further comprises, comprises a complementary metal-oxide semiconductor (CMOS), see (col.6, lines 1-4, CCD or the like 9 can be CMOS) which are arranged in one-dimensional structure in the main scan direction).

With respect to claim 12, Yamamoto et al. discloses the device (as shown in fig 1-5), wherein said lamp is a laser illuminator (reflected light of laser beam emitted from laser source, see col.11, lines 19-20).

With respect to claim 13, Yamamoto et al. discloses the device (as shown in fig 1-5), wherein said at least one lamp (reflected light of laser beam emitted from laser source, see col.11, lines 19-20) further comprises four lamps assembled along a circumference of the rim of said cone (scanner block 7 of fig 3) for demarcating four corners of the image capture area (image scan area 3 of fig 3, demarcated by light emitted from light source, as focused by lens 14 of 5).


With respect to claim 14, Yamamoto et al. discloses the device (as shown in fig 1), wherein said support arm (4 of fig 3) further comprises a robot arm for flexibly adjusting the image capture area (the height of support arm 4 of fig 3 can be lowered or moved up, in order to adjust the image capture area).


With respect to claim 15, Yamamoto et al. discloses the device (as shown in fig 1), wherein said support arm (support arm 4 of fig 3) further comprises a plastic surface for flexibly adjusting the image capture area (support arm 4, can be inheritably made of plastic material).

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Negussie Worku whose telephone number is 571-272-7472. The examiner can normally be reached on 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached on 571-272-7471. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Negussie Worku
04/14/05


KIMBERLY WILLIAMS
SUPERVISORY PATENT EXAMINER